## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Dat	Date of filing in State Engineer's Office. JUL 1 6 1990			
Returned to applicant for correction				
Cor	rrected application filed	Map filed JUL 1 6 1990		
	Bently Neva	ada Corporation.		
	The applicant			
	P.O. Box 157	Minden  Of City or Town		
		hereby make application for permission to change the		
of v	P	oint of diversion, manner of use, and/or place of use Permit 52257  Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and		
1.	The source of water is	Underground  Name of stream, lake, underground spring or other source.  0.056 CFS		
2.	The amount of water to be changed	Second feet, acre feet. One second foot equals 448.83 gallons per minute.		
3.	The water to be used for	Dewatering for environmental control  Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.		
		Downtoning for onvisormental control		
		Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.  Within the SE4 NW4 Section 8, T.13N.,		
5.	The water is to be diverted at the following	within the SE¼ NW¼ Section 8, T.13N.,  Describe as being within a 40-acre subdivision of public survey and by course and  The from which the Southwest company of said Section 8		
	distance to a section corner. If on unsurveyed land,	int from which the Southwest corner of said Section 8, in should be stated.  O 10' W. a distance of 3460 feet. (EX-8B)		
	T.13N., R.20E. bears S.38	10' W. a distance of 3460 feet. (EX-8B)		
6.	The existing permitted point of divers	sion is located within		
7.	Proposed place of use See E	Xhibit A  Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.		
	,			
8.	Existing place of use Describe by M.D.M.  manner of use of irrigation permit, describe acreage	rtions of the Wig NEig of Section 8, T.13N., R.20E., legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or to be removed from irrigation.		
	Janua	arv 1 December 31		
9.	Use will be from Janua Month	and Day Month and Day Some how 20		
10.	Use was permitted fromJanua	Ary 1 September 30 of each year.  Month and Day Month and Day		
	Description of proposed works. (Unc	der the provisions of NRS 535.010 you may be required to submit plans and		
	specifications of your diversion or sto	orage works.) Well approximately 63 feet deep w/pump and  State manner in which water is to be diverted, i.e. diversion structure,		
	motor; 6" casing; piping	to a flow equalization tank and air stripping tower.		
	ditches pines and flumes or drilled well etc			
12.	Estimated cost of works	000		
13.	Estimated time required to construct	works already completed (see 11 above)		

14. Estimated time required to complete the application of water to beneficial use			
Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:			
This environmental control well is part of a remedial measure reviewed by NDEP.			
Groundwater will be extracted from the shallow aquifer and treated by air stripping			
Treated water will be disposed of by discharging into irrigation ditches within			
the proposed place of use.			
By S/Thomas A. Foote 160 Hubbard Way  Compared bc/sm am/se Reno, NV 89502			
Protested			
APPROVAL OF STATE ENGINEER			
understood that the amount of water herein granted is only a temporary allowance for pollution control as mandated by orders issued by the Nevada Division of Environmental Protection and subsequent correspondence with said agency. The right will cease to exist upon termination of clean up activity as determined by the Nevada Division of Environmental Protection. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and records of the measurement shall be submitted on an annual basis. It is also understood that this right must allow for a reasonable lowering of the static water level of permittee's well due to other ground water development in the area. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of water granted herein at any and all times.  This permit does not extend the permittee the right of ingress and egress or public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies.  This permit is issued under the provisions of NRS 534.120(2) as a preferred use.  The total combined duty of water under Permits 55064, 55065, 55066, 55067, 55068, 55069 and 55070 shall not exceed 226.3 million gallons annually.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed			
Work must be prosecuted with reasonable diligence and be completed on or before			
Proof of completion of work shall be filed before May 5, 1992			
Application of water to beneficial use shall be made on or before			
Proof of the application of water to beneficial use shall be filed on or before May 5, 1994			
Map in support of proof of beneficial use shall be filed on or before			
Completion of work filed. MAY 2 0 1992 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P, E  State Engineer of Nevada, have hereunto set my hand and the seal of my			
roof of beneficial use filed			
Cultural map filed			
State Engineer			

## EXHIBIT A PROPOSED PLACE OF USE

TOTAL	1674.49 AC
E 1/2 E 1/2	160.34 AC
SECTION 36, T.14N., R.19E., M.D.M.	
SECTION 31, T.14N., R.20E., M.D.M. W 1/2	292.73 AC
s 1/2 NW 1/4	80.00 AC
N 1/2 SW 1/4	80.00 AC
NW 1/4 SE 1/4	40.00 AC
W 1/2 NE 1/4	80.00 AC
SECTION 8, T.13N., R.20E., M.D.M.	
N 1/2 SE 1/4	30.00 1.0
NE 1/4	80.00 AC
SECTION 7, T.13N., R.20E., M.D.M.	160.00 AC
where the state of	
W 1/2	300.70 AC
SE 1/4	160.00 AC
S1/2 NE 1/4	80.00 AC
NE 1/4 NE 1/4	40.35 AC
SECTION 6, T.13N., R.20E., M.D.M.	
w 1/2 NW 1/4	
SE 1/4 NW 1/4	80.37 AC
SECTION 5, T.13N., R.20E., M.D.M.	40.00 AC

